

LM 530/36 BP

Robust, reliable and delivers top results for lawn care: The LM 530/36 Bp battery powered lawn mower with steel mower deck. Highly flexible, low noise and zero emissions.



Order no. 1.042-500.0

- Brushless motor
- Automatic drive and intelligent automatic speed control
- 53 cm cutting width and 65 l grass bag for large area performance

Technical data		
EAN code		4054278634104
Battery platform		36 V battery platform
Cutting width	mm	530
Cutting height	mm	30 - 110
Rotational speed	rpm	3100
max. Speed	km/h	2 - 5
Mowing deck material		Steel
Grass catcher container volume	l	70
Grass catcher material		material
Sound power level	dB(A)	95
Vibration value	m/s ²	0.8
Voltage	V	36
Performance per battery charge	m ²	max. 600 (6.0 Ah) / max. 750 (7.5 Ah)
Runtime per battery charge	min	max. 40 (6.0 Ah) / max. 55 (7.5 Ah)
Weight without accessories	kg	32
Weight incl. packaging	kg	38
Dimensions (L × W × H)	mm	1580 × 550 × 1130

Equipment	
Variant	Battery and charger not included
Rear-wheel drive	■
Mulch kit	■
Grass catcher container	■
Blade	■

■ included in delivery.



Simple cutting height adjustment

- Can easily and conveniently be adjusted to the appropriate cutting height.
- Precise adjustment of the cutting height for the intended use.



Variable self-driving motor

- Can be adjusted for each individual user with the slide control.
- Saves energy and relieves strain.



Intelligent automatic speed control

- Optimum cutting speed for a consistently good results.
- Protects the battery and increases the range.

EQUIPMENT FOR LM 530/36 BP 1.042-500.0



		Order no.	Description	
MACHINE ACCESSORIES				
Blade Lawn Mower 46 cm	1	2.042-014.0		<input checked="" type="checkbox"/>
LM side discharge kit	2	2.042-030.0		<input type="checkbox"/>
BATTERIES				
Accumulator special accessories 36V 5,0	3	2.445-031.0		<input type="checkbox"/>
Battery Power+ 36/75	4	2.445-043.0		<input type="checkbox"/>
Battery Power+ 36/60	5	2.042-022.0		<input type="checkbox"/>

■ Included in delivery. □ Available accessories.